ELSEVIER

Brain Research 683 (1995) 283–284

BRAIN RESEARCH

Author Index

Abe, K., Kogure, K. and Itoyama, Y.
Rapid and semiquantitative analysis of HSP72 and HSC73 heat shock mRNAs by mimic RT-PCR (683) 251
Abe, M., Klein, M., Steel, D.J., Thekkuveettil, A., Shapiro, E., Schwartz, J.H. and Feinmark, S.J.
Stereochemistry of the *Aplysia* neuronal 12-lipoxygenase: specific potentiation of FMRFamide action by 12(*S*)-HPETE (683) 200
Avdulov, N.A., see Wood, W.G. (683) 36

Bachoo, M., see Zhang, C. (683) 59
Beitz, A.J., see Kus, L. (683) 270
Blessing, W.W., see Gieroba, Z.J. (683) 43
Brasko, J., see Ross, D.T. (683) 117
Brewer, G.J.
Exogenous thrombin inhibits neuritogenesis in cultured neuroblastoma cells but not in rat hippocampal neurons (683) 258
Brotchie, J.M., see Maneuf, Y.P. (683) 102
Buño, W., see Sierra, F. (683) 215
Byers, J.M., see Thompson, G.C. (683) 140

Cascio, C., see Guarneri, P. (683) 65
Collier, B., see Zhang, C. (683) 59
Costanzo, R.M., see Osada, T. (683) 254
Crossman, A.R., see Maneuf, Y.P. (683) 102

Donato, R., see Sorci, G. (683) 51
Dresse, A., see Seutin, V. (683) 275

Feinmark, S.J., see Abe, M. (683) 200
French, A.S., see Seyfarth, E.-A. (683) 93

Gieroba, Z.J., MacKenzie, L., Willoughby, J.O. and Blessing, W.W.
Fos-determined distribution of neurons activated during the Bezold–Jarisch reflex in the medulla oblongata in conscious rabbits and rats (683) 43
Gong, W., Neill, D.B. and Justice, Jr, J.B.
Increased sensitivity to cocaine place-preference conditioning by septal lesions in rats (683) 221
Gonzalez-Lima, F., see McIntosh, A.R. (683) 228
Greenough, W.T., see Hawrylak, N. (683) 187
Guarneri, P., Guarneri, R., Cascio, C., Piccoli, F. and Papadopoulos, V.
γ-Aminobutyric acid type A/benzodiazepine receptors regulate rat retina neurosteroidogenesis (683) 65
Guarneri, R., see Guarneri, P. (683) 65
Guo, H., see Smith, J.A. (683) 264

Haddad, G.G., see O'Reilly, J.P. (683) 179
Hambright Keiger, C.J., see Jennings, R.A. (683) 159
Handa, R.J., see Kus, L. (683) 270
Hashimoto, Y., see Kawakami, T. (683) 88
Hatanaka, H., see Nonomura, T. (683) 129
Hautman, J.M., see Kus, L. (683) 270
Hawrylak, N. and Greenough, W.T.
Monocular deprivation alters the morphology of glial fibrillary acidic protein-immunoreactive astrocytes in the rat visual cortex (683) 187
Hayabara, T., see Sato, K. (683) 279
Hertzberg, E.L., see Sawchuk, M.A. (683) 153
Hill, J.M., see Wong, M.K.C. (683) 149
Hiscock, J.J., see Willoughby, J.O. (683) 73
Hori, H., see Kawakami, T. (683) 88
Hossain, M.Z., see Sawchuk, M.A. (683) 153

Ichikawa, M., see Osada, T. (683) 254
Igbavboa, U., see Wood, W.G. (683) 36
Ishibashi, Y., see Nakagawa, Y. (683) 209
Itoyama, Y., see Abe, K. (683) 251

Jansen, A.S.P., Wessendorf, M.W. and Loewy, A.D.
Transneuronal labeling of CNS neuropeptide and monoamine neurons after pseudorabies virus injections into the stellate ganglion (683) 1
Jennings, R.A., Hambright Keiger, C.J. and Walker, J.C.
Time course of reinnervation of the olfactory bulb after transection of the primary olfactory nerve in the pigeon (683) 159
Jiang, C., see O'Reilly, J.P. (683) 179
Justice, Jr, J.B., see Gong, W. (683) 221

Kaufman, M.P., see Wong, M.K.C. (683) 149
Kawakami, T., Takenaka, T., Hori, H., Hashimoto, Y. and Kusakabe, T.
Effects of acetylcholine and adrenaline on axoplasmic transport at different regions of mouse superior cervical ganglion cells in culture (683) 88
Klein, M., see Abe, M. (683) 200
Kogure, K., see Abe, K. (683) 251
Kunko, P.M., see Smith, J.A. (683) 264
Kuroda, S., see Sato, K. (683) 279
Kus, L., Handa, R.J., Hautman, J.M. and Beitz, A.J.
Castration increases [^{125}I]MK801 binding in the hippocampus of male rats (683) 270
Kusakabe, T., see Kawakami, T. (683) 88

Li, A., see Wu, T. (683) 242
Lindsay, R.M., see Nonomura, T. (683) 129
Loewy, A.D., see Jansen, A.S.P. (683) 1
Lorenzo, D., see Sierra, F. (683) 215

Macadar, O., see Sierra, F. (683) 215
MacKenzie, L., see Gieroba, Z.J. (683) 43
Mackenzie, L., see Willoughby, J.O. (683) 73
Maneuf, Y.P., Mitchell, I.J., Crossman, A.R., Woodruff, G.N. and Brotchie, J.M.
Functional implications of kappa opioid receptor-mediated modulation of glutamate transmission in the output regions of the basal ganglia in rodent and primate models of Parkinson's disease (683) 102
Martin, D., Miller, G., Rosendahl, M. and Russell, D.A.
Potent inhibitory effects of glial derived neurotrophic factor against kainic acid mediated seizures in the rat (683) 172
Massotte, L., see Seutin, V. (683) 275
McIntosh, A.R. and Gonzalez-Lima, F.
Functional network interactions between parallel auditory pathways during Pavlovian conditioned inhibition (683) 228
Medvedev, A., see Willoughby, J.O. (683) 73
Miller, G., see Martin, D. (683) 172
Mitchell, I.J., see Maneuf, Y.P. (683) 102
Mo, Q., see Smith, J.A. (683) 264
Morales, M., see Zhang, C. (683) 59
Morimoto, K., see Sato, K. (683) 279

Nagy, J.I., see Sawchuk, M.A. (683) 153
Nakagawa, Y., Ishibashi, Y., Yoshii, T. and Tagashira, E.
Involvement of cholinergic systems in the deficit of place learning in Morris water maze task induced by baclofen in rats (683) 209
Neill, D.B., see Gong, W. (683) 221
Nishio, C., see Nonomura, T. (683) 129

Nonomura, T., Nishio, C., Lindsay, R.M. and Hatanaka, H.
Cultured basal forebrain cholinergic neurons from postnatal rats show both overlapping and non-overlapping responses to the neurotrophins (683) 129
Nylander, I., Vlaskovska, M. and Terenius, L.
Brain dynorphin and enkephalin systems in Fischer and Lewis rats: effects of morphine tolerance and withdrawal (683) 25

Okada, Y., see Takata, T. (683) 109
O'Reilly, J.P., Jiang, C. and Haddad, G.G.
Major differences in response to graded hypoxia between hypoglossal and neocortical neurons (683) 179
Osada, T., Ichikawa, M. and Costanzo, R.M.
Is nestin a marker for chemosensory precursor cells? (683) 254

Papadopoulos, V., see Guarneri, P. (683) 65
Pardridge, W.M., see Skarlatos, S. (683) 164
Patrikios, P., see Ross, D.T. (683) 117
Piccoli, F., see Guarneri, P. (683) 65
Polosa, C., see Zhang, C. (683) 59

Rambotti, M.G., see Sorci, G. (683) 51
Rao, A.M., see Wood, W.G. (683) 36
Robinson, S.E., see Smith, J.A. (683) 264
Rosendahl, M., see Martin, D. (683) 172
Ross, C.D., see Thompson, G.C. (683) 140
Ross, D.T., Brasko, J. and Patrikios, P.
The AMPA antagonist NBQX protects thalamic reticular neurons from degeneration following cardiac arrest in rats (683) 117
Russell, D.A., see Martin, D. (683) 172

Sanders, E.J., see Seyfarth, E.-A. (683) 93
Sato, K., Morimoto, K., Yamada, N., Kuroda, S. and Hayabara, T.
NBQX, a selective antagonist of the AMPA receptor, affects neither field potentials nor long-term potentiation in vivo (683) 279
Sawchuk, M.A., Hossain, M.Z., Hertzberg, E.L. and Nagy, J.I.
In situ transblot and immunocytochemical comparisons of astrocytic connexin-43 responses to NMDA and kainic acid in rat brain (683) 153
Schroeder, F., see Wood, W.G. (683) 36
Schwartz, J.H., see Abe, M. (683) 200
Scuvée-Moreau, J., see Seutin, V. (683) 275
Seutin, V., Scuvée-Moreau, J., Massotte, L. and Dresse, A.
Hydrogen peroxide hyperpolarizes rat CA1 pyramidal neurons by inducing an increase in potassium conductance. (683) 275
Seyfarth, E.-A., Sanders, E.J. and French, A.S.
Sodium channel distribution in a spider mechanosensory organ (683) 93
Shapiro, E., see Abe, M. (683) 200
Sierra, F., Lorenzo, D., Macadar, O. and Buño, W.
N-type Ca^{2+} channels mediate transmitter release at the electromotoneuron-electrocyte synapses of the weakly electric fish *Gymnotus carapo* (683) 215
Skarlatos, S., Yoshikawa, T. and Pardridge, W.M.
Transport of [^{125}I]transferrin through the rat blood–brain barrier (683) 164
Smith, J.A., Mo, Q., Guo, H., Kunko, P.M. and Robinson, S.E.
Cocaine increases extraneuronal levels of aspartate and glutamate in the nucleus accumbens (683) 264
Sorci, G., Spreca, A., Donato, R. and Rambotti, M.G.
Detection of membrane-bound guanylate cyclase activity in rat C6 glioma cells at different growth states following activation by natriuretic peptides (683) 51
Spreca, A., see Sorci, G. (683) 51
Steel, D.J., see Abe, M. (683) 200

Tagashira, E., see Nakagawa, Y. (683) 209
Takata, T. and Okada, Y.
Effects of deprivation of oxygen or glucose on the neural activity in the guinea pig hippocampal slice—intracellular recording study of pyramidal neurons (683) 109
Takenaka, T., see Kawakami, T. (683) 88
Terenius, L., see Nylander, I. (683) 25
Thekkuveettil, A., see Abe, M. (683) 200
Thompson, A.M., see Thompson, G.C. (683) 140
Thompson, G.C., Ross, C.D., Thompson, A.M. and Byers, J.M.
Changes in brainstem calcitonin gene-related peptide after VIIth and VIIIth cranial nerve lesions in guinea pig (683) 140

Vlaskovska, M., see Nylander, I. (683) 25

Walker, J.C., see Jennings, R.A. (683) 159
Wang, H.-L., see Wu, T. (683) 242
Wessendorf, M.W., see Jansen, A.S.P. (683) 1
Willoughby, J.O., Mackenzie, L., Medvedev, A. and Hiscock, J.J.
Distribution of Fos-positive neurons in cortical and subcortical structures after picrotoxin-induced convulsions varies with seizure type (683) 73
Willoughby, J.O., see Gieroba, Z.J. (683) 43
Wong, M.K.C., Hill, J.M. and Kaufman, M.P.
Pressor responses to stimulation of non-NMDA receptors in the superficial laminae of the cat spinal cord (683) 149
Wood, W.G., Igbavboa, U., Rao, A.M., Schroeder, F. and Avdulov, N.A.
Cholesterol oxidation reduces Ca^{2+} + Mg^{2+}-ATPase activity, interdigitation, and increases fluidity of brain synaptic plasma membranes (683) 36
Woodruff, G.N., see Maneuf, Y.P. (683) 102
Wu, T., Li, A. and Wang, H.-L.
Neurotensin increases the cationic conductance of rat substantia nigra dopaminergic neurons through the inositol 1,4,5-trisphosphate-calcium pathway (683) 242

Yamada, N., see Sato, K. (683) 279
Yoshii, T., see Nakagawa, Y. (683) 209
Yoshikawa, T., see Skarlatos, S. (683) 164

Zhang, C., Bachoo, M., Morales, M., Collier, B. and Polosa, C.
The site of the inhibitory action of endogenous opioids in the superior cervical ganglion of the cat (683) 59